

### REFRIGERATED COOLING TABLES GASTRONORM MODULAR

1106€

#### Modular Cooling Table

(18.092.008)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 2 doors. Modular construction designed with the idea to offer the customer practical use and fast serving.

350W / 1Hp Motor: Dimensions: 950x625x875mm

Capacity: 270 Lt.

Grid dimension: 325x530mm (GN1/1)

0°C - +6°C Air circulation:



### Refrigerated working table with 3 doors

(18.092.017)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 3 doors. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 450W / 1/4Hp Dimensions: 1440x625x875mm

Capacity: 410Lt.

325x530mm (GN1/1) Grid dimension:

0°C - +6°C Air circulation:



### Refrigerated working unit with 4 doors

(18.092.018)

Stainless steel construction inside/outside. Gastronorm refrigerated cooling table with 4 doors. Modular construc tion designed with the idea to offer the customer practica use and fast serving.

Motor: 570W / 3/8Hp Dimensions: 1860x625x875mm

520Lt. Capacity:

Grid dimension: 325x530mm (GN1/1)

Air circulation: 0°C - +6°C



### Modular Cooling table with 4 drawers

(18.092.009)

Refrigerated working unit. Modular construction designed with the idea to offer the customer practical use and fast serving.

Motor: 350W / 1/5 Hp Dimensions: 950x625x875mm

Capacity: 270 Lt

Grid dimension: 4 Drawers (GN1/1) Air circulation: 0°C - +6°C

1402€



www.electrolux.com.mk www.elektroluks.com.mk

+389 47 203 900 +389 2 329 8 130

115

### REFRIGERATION MODULAR CONSTRUCTION

Modular Salad bar

(18.092.006)

Saladbar modular construction designed

with the idea to offer the customer practical use and fast serving. Two part lid, cutting board made of teflon.



Dimensions: Capacity: Grid dimensions:

Motor:

950x625x875mm 270 Lt.

325x530mm (GN1/1) Air circulation:

0° - +6°C 400W

929€

### Modular Pizza Working table

(18.092.013)

Refrigerated pizza working table. Practical storage, assembly of ingredients and pizza preparation.



Dimensions: Capacity: Motor: Air circulation:

950x625x1240mm 270 Lt. net 400W 0° - +6°C

1048€

# Modular Beer Serve unit

(18.092.014)

CATERING EQUIPMENT FOR HOTELS. RESTAURANTS. CANTEENS. CAFES

Refrigerated serve unit for installation of beer cans. Modular construction designed with the idea to offer the customer practical and fast serving in the shop.





Motor: 400W

Dimensions: 950x625x1240mm 270 Lt. net Capacity: 0°C - +6°C Air circulation:

1512€

#### Modular Display Salad bar

(18.092.007)

Refrigerated display unit salad bar. Modular construction designed with the idea to offer the customer practical use and fast serving.





400W Motor:

950x625x1220mm Dimensions: 270 Lt. Capacity: Air circulation: 0°C - +6°C

> www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia

# REFRIGERATED MODULAR CONSTRUCTION

Glass cooler (18.092.011)

**Bootle** cooler (18.092.012)



1394€

Dimensions:

900x600x850mm

### Refrigerated chamber high 1450mm

(18.092.019)

Upright refrigerated chamber with 2 doors. Stainless steel construction inside outside for 1/1 GN size.



(18.092.020)

Upright refrigerated chamber with 2 doors. Stainless steel construction inside outside for 1/1 GN size.



1211€

950x625x1450mm Dimensions: Air circulation: 0°C - +6°C



1475€

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • • • •

Dimensions: Air circulation:

950x625x2050mm 0°C - +6°C

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130

# **VARIOUS MODULAR CONSTRUCTION**

#### Modular warm unit

(18.092.021)

Working unit with GN sizes. Modular construction designed with the idea to offer the customer practical use and fast serving. Thermostat 30-90°C.

Dimensions: 950x625x875mm

Capacity: 270 Lt.

Grid dimension: 325x530mm (GN1/1)

Power: 1500W

1103€



### Modular Working unit

(18.092.015)

Working unit with Gn sizes. Modular construction designed with the idea to offer the customer practical use and fast serving.

Dimensions: 950x625x875mm

Capacity: 270 Lt.

Grid dimensions: 325x530mm (GN1/1)

509€



### Modular Display Bain Marie

(18.092.016)

Bain Marie with cant glass. Modular construction designed with the idea to offer the customer practical use and fast serving.. Thermostat 30-90°C.

950x625x1220mm Dimensions:

Capacity: 270 Lt. Power: 1500W

1358 €



#### Modular Ice Cream freezer

(18.092.022)

Ice cream freezer. Modular construction with same dimensions as all the other Modular models..

Dimensions: 950x625x1220mm

Capacity: 270 Lt

Grid dimension: 325x530mm (GN1/1) -15°C to -25°C Air circulation:

1807€



www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130

118

### REFRIGERATED EURONORM COUNTERS 700

#### XPS-1P (18.093.008)

Refrigerated counter with 1 door and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls. ] **HACCP** regulation

Build in evaporator at the backside.

XPS-1P(18.093.008)

-2°C/+8°C Temperature: Dimensions: 1085x700x850mm Capacity: 260 litter

1106€



#### XPS-2P (18.093.009)

Refrigerated counter with 2 doors and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls.

**HACCP** regulation

Build in evaporator at the backside.



1495 €

REFRIGERATED DRAWER

XPS-2P(18.093.009) Temperature: -2°C/+8°C Dimensions: 1650x700x850mm Capacity: 470 litter

#### XPS-3P (18.093.010)

Refrigerated counter with 3 doors and 1 drawer refrigerated. Fitted for 60\*40 trays or with optional GN 1/1 supports. Complete stainless steel inside/outside. Digital controls.

**HACCP** regulation

Build in evaporator at the backside.



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • • •

1901 €

XPS-3P(18.093.009) Temperature: -2°C / +8°C Dimensions: 2215x700x850mm Capacity: 680 litter

#### XPS-4P (18.093.011)

Refrigerated counter GN 1/1/60/40 forced refrigeration with 4 doors, refrigerated drawer over the refrigerated mechanism and one grid each door.

Complete stainless steel inside/outside.Digital controls. **HACCP** regulation

Build in evaporator at the backside.



2174€

REFRIGERATED DRAWER

XPS-4P(18.093.011) Temperature: -2°C / +8°C Dimensions: 2773x700x850mm Capacity: 890 litter

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130

# **REFRIGERATED SNACK COUNTERS 600**

# Electrolux

DIAM-2P 600 (18.092.032)

Refrigerated counter with 2 doors. Complete stainless steel inside/outside. Digital controls.

-2°C/+8°C Temperature: Dimensions: 1414x600x850mm Motor: 350 W - 1/5Hp

Diam-2p: 1152€

## **NEW**

**NFW** 



DIAM-3P 600 (18.092.033)

Refrigerated counter with 3 doors. Complete stainless steel inside/outside. Digital controls.

-2°C/+8°C Temperature: Dimensions: 1898x600x850mm Motor: 455 W - 1/4Hp

Diam-3p:

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

1384 €



DIAM-4P 600 (18.092.034)

Refrigerated counter with 4 doors .Complete stainless

steel inside/outside.Digital controls.

Temperature: -2°C/+8°C 2380x600x850mm Dimensions: 600W - 3/8Hp Motor:

Diam-4p:

1642€

www.electrolux.com.mk www.elektroluks.com.mk

+389 47 203 900 +389 2 329 8 130

made in macedonia



114

made in macedonia

# **REFRIGERATED GASTRONORM COUNTERS 700**



Refrigerated counter with 2 doors. GN 1/1 size fitted. Complete stainless steel inside/outside. Digital

controls

Temperature: Dimensions:

-2°C/+8°C 1414x700x850mm

Motor:

350 W - 1/5Hp

Diam-2p:

1323€



DIAM-2P 1C (18.093.017) Same but with refrigerated Drawer over the compressor.

Diam-2P1C:

1431€

WHEELS ARE OPTIONAL

#### DIAM-3P (18.093.021)

Refrigerated counter with 3 doors, Fitted for GN 1/1 shelves or trays. Complete stainless steel inside/outside. Digital controls.

-2°C/+8°C Temperature: 1898x700x850mm Dimensions: Capacity: 485 litter. Motor: 455 W - 1/4Hp



DIAM-3P 1C (18.093.018) Same but with refrigerated Drawer over the compressor.

Diam-3P1C:

1583€



Diam-3p:

CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES

1475€

#### DIAM-4P (18.093.022)

Refrigerated counter with 4 doors fitted for 1/1gn shelves or trays. Complete stainless steel inside/outside.Digital controls.

-2°C/+8°C Temperature: Dimensions: 2380x700x850mm

Capacity: 660 litter. Motor: 600W - 3/8Hp



DIAM-4P 1C (18.093.019) Same but with refrigerated Drawer over the compressor.

Diam-4P1C: **1847**€

Diam-4p:

1739€

120

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia

### REFRIGERATION LINE 700 PIZZA PREPARATION TABLES

#### XP-2P (18.093.004)

Refrigerated pizza table with forced refrigeration 2 doors and 1 refrigerated drawer over the refrigerated mechanism. Complete stainless steel inside/outside.Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.

Temperature: Dimensions:

-2°C/+10°C 1650x850x1360mm.

2.374 € without vetrine

x<sub>p2p:</sub> 3.125€

With vetrine CTW 1650 or optional V-160

Option 2 drawers instead of 1 door: +167€

#### XP-3P (18.093.005)

Refrigerated pizza table with forced refrigeration 3 doors and 1 refrigerated drawer over the refrigerated mechanism. Complete stainless steel inside/outside.Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.

Temperature: -2°C/+10°C Dimensions: 2215x850x1360mm

Option 2 drawers instead of 1 door: +167 euro

Xp3p: without vetrine

3.459€ Xp3p:

With vetrine CTW 2215 or optional V-220

#### XP-4P (18.093.006)

Refrigerated pizza table with forced refrigeration 4 doors and 1 refrigerated drawer over the compressor. Complete stainless steel inside/outside.Digital controls. HACCP regulation. The pizza table comes with a refrigerated vetrine and a granite top.

-2°C/+10°C Temperature: Dimensions: 2780x850x1360mm.

Option 2 drawers instead of 1 door: +167 euro

хр4р: 3041€ without vetrine

4.060€ Xp4p: With vetrine CTW 2780 or optional V-270 CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES •

### XP-2Pcss and XP-3Pcss

Refrigerated pizza table with forced refrigeration 2 doors (2p) or 3 doors (3p)with 1 refrigerated drawer over the compressor and each 1 set of drawers 3 small one large neutral foret pizza balls. Inside/outside stainless steel. Digital controls. Refrigerated top. Optional Css, stainless steel pizza ball drawer set

-2°C/+10°C Temperature: Dimensions Xp-3p css: 221 5x850x1 360mm 1650x850x1360mm Dimensions Xp-2p css: 510x655x850mm Dimensions CSS:





xP-3p css 4.152 €

www.electrolux.com.mk www.elektroluks.com.mk

121

+389 47 203 900 +389 2 329 8 130

# **REFRIGERATED COUNTER TOP UNITS**

# **CTW**



|     |     |    | 1     | / 2 | 1   | / 2 | 1/4 | 1/4 | 1/6<br>1/9 | <b>CTW-1650</b> Basin deep 100mm |
|-----|-----|----|-------|-----|-----|-----|-----|-----|------------|----------------------------------|
|     | 1   | /2 | 1/2   | 1/4 | 1/4 | 1/4 | 1/4 | 1/6 | 1/6<br>1/9 | CTW-2215 Basin deep 100mm        |
| 1/2 | 1/2 | 1/ | 2 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/6 | 1/6        | CTW-2780 Basin deep 100mm        |

V120 Basin deep 150mm

V-120 1/3 1/3 1/3 1/3 1/3 V-160 1/3 1/2 1/1 1/3 V-220 1/1 1/1 1/1 1/3 V-278 1/1 1/1 1/1 1/1 1/3



V160 Basin deep 150mm



V220 Basin deep 150mm



Refrigerated stainless steel display unit

• • CATERING EQUIPMENT FOR HOTELS. RESTAURANTS, CANTEENS, CAFES

+2/+10°C, with digital controls. Securit straight glas.

| CTW-1650 | External dimensions: | 1650x3 <b>2</b> 0x430mm |
|----------|----------------------|-------------------------|
| CTW-2215 | External dimensions: | 2215x320x430mm          |
| CTW-2780 | External dimensions: | 2780x320x430mm          |
| V-120    | External dimensions: | 1200x380x574mm          |
| V-160    | External dimensions: | 1650x380x470mm          |
| V 220    | External dimensions: | 2215x380x470mm          |
| V278     | External dimensions: | 2780x380x470mm          |

751 € 886 € 1019 € 518 € 827 € 975 € 1.120€

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 +389 2 329 8 130 made in macedonia

# **REFRIGERATION LINE 700 SALAD BARS**

#### REFRIGERATED SALADBAR WITH LID - 1 DOOR

#### XA-1P (18.093.023)

Refrigerated saladbar with forced refrigeration 1 door and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside. Stainless steel couching lid. Digital controls.

Maintenance model: XA-1P (18.093.023) -2°C/+8°C Temperature: 1080x850x1030mm. Dimensions: Motor: 300W

Capacity: 4 x 1/3 GN +3x 1/2 GN 1447€



### REFRIGERATED SALADBAR WITH LID - 2 DOORS

#### XA-2P (18.093.015)

Refrigerated saladbar with forced refrigeration 2 doors and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside. Stainless steel couching lid. Digital controls.

XA-2P (18.093.015) Maintenance model: Temperature: -2°C/+8°C Dimensions: 1650x850x1030mm.

455W Motor:

Capacity: 7 x 1/3 GN + ½ GN 1766 €



#### REFRIGERATED SALADBAR WITH LIDS - 3 DOORS

### XA-3P (18.093.016)

Refrigerated saladbar with forced refrigeration 3 doors and 1 refrigerated part over the refrigerated mechanism. Complete stainless steel inside/outside.

Stainless steel couching lid. Digital controls.



Maintenance model: XA-3P(18.093.016) Temperature: -2°C/+8°C 2215x850x1030mm. Dimensions: 600 W - 3/8Hp Motor:



www.elektroluks.com.mk

+389 47 203 900 +389 2 329 8 130

123

made in macedonia

# REFRIGERATED UPRIGHT FRIDGES



**DIAM 400** 



XTHS 1P 2D



CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES



| Technical Data             | DIAM 400     | XTHS 1P CLASSIC | XTHS 1P ELEGANCE | XTHS 1P 2D   | XTHS 1P2D2T  |  |
|----------------------------|--------------|-----------------|------------------|--------------|--------------|--|
| Price                      | 976€         | 1437 €          | 1357 €           | 1502€        | 1597 €       |  |
| Temp. Range <sup>O</sup> C | -2/+8        | -2 / +8         | -2 / +8          | -2 / +8      | -2/+8        |  |
| Power W                    | 1/5 HP       | 3/8 HP          | 3/8 HP           | 3/8 HP       | 3/8 HP       |  |
| Voltage                    | 220V/50Hz    | 220V/50Hz       | 220V/50Hz        | 220V/50Hz    | 220V/50Hz    |  |
| Capasity                   | 400 It       | 660 It          | 660 It           | 660 It       | 660 It       |  |
| External dimensions        | 600x600x1900 | 770x700x2100    | 770x700x2100     | 770x700x2100 | 770x700x2100 |  |
| Material                   | inox         | inox            | inox             | inox         | inox         |  |
| Coolant                    | R 134 a      | R 134 a         | R 134 a          | R 134 a      | R 134 a      |  |
| Supplies                   | 3 shelves    | 3 shelves       | 3 shelves        | 3 shelves    | 3 shelves    |  |

Forced refrigeration, auto defrost, evaporatuer build in backpart, removable door gaskets.

# REFRIGERATED UPRIGHT FRIDGES

XTHS 2P2D2T



XTHS 2P3D3T



XTHS 3P





| Technical Data             | XTHS 2P CLASSIC | XTHS 2P ELEGANCE  | XTHS 2P2D2T    | XTHS 2P3D3T    | XTHS 3P        |  |
|----------------------------|-----------------|---|----------------|----------------|----------------|--|
| Price                      | 2389€           | 2150 €  | 2516 €         | 2646 €         | 2706€          |  |
| Temp. Range <sup>O</sup> C | -2 / +8         | -2 / +8   | -2 / +8        | -2/+8          | -2/+8          |  |
| Power W 660                |                 | 660   | 660            | 660            | 720            |  |
| Voltage 220V/50Hz          |                 | 220V/50Hz   | 220V/50Hz      | 220V/50Hz      | 220V/50Hz      |  |
| Capasity 1400 It           |                 | 1400 lt   | 1400 lt        | 1400 lt        | 2050 lt        |  |
| External dimensions        | 1580x700x2100   | 1580x700x2100   | 1580x700x2100  | 1580x700x2100  | 2390x700x2100  |  |
| Material                   | inox            | front inox, alu inside prepainted<br>steel rear and sites | inox           | inox           | inox           |  |
| Coolant R 134 a            |                 | R 134 a   | R 134 a        | R 134 a        | R 134 a        |  |
| Supplies 3 shelves/door    |                 | 3 shelves/door  | 3 shelves/door | 3 shelves/door | 3 shelves/door |  |

Forced refrigeration, auto defrost, evaporatuer build in backpart, removable door gaskets.

www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900 CATERING EQUIPMENT FOR HOTELS, RESTAURANTS, CANTEENS, CAFES • • • •

#### DIAM 400AVK



### **DIAM 400AVK** (18.094.003)

One door upright freezer cabinet GN 1/1, forced refrigeration. Complete stainless steel inside/outside. Digitals controls. Door gaskets are removable. Easy cleaning. Auto defrost.

Temperature:  $-15^{\circ}\text{C} / -25^{\circ}\text{C}$ Dimensions: 650x600x1950mm.

Capacity: 370 litter

Motor: 330 - 3/8Hp R404a

**AVK 360P** 



AVK 360P Refrigerator 650x600x1900

XTHK-1P



### XTHK-1P (18.093.001) freezer

One door upright freezer cabinet GN 2/1, forced refrigeration. Complete stainless steel inside/outside. Digitals controls. Door gaskets are removable. Evaporator in the backside. Easy cleaning. Auto defrost.

Freezer model: XTHK-1P (18.093.001) Temperature: -15°C / -25°C

 Dimensions:
 814x735x2140mm.

 Capacity:
 660 litter

 Motor:
 800w - 1/2Hp

XTHK-1P

2.158€

WHEELS ARE OPTIONAL

DIAM 400AVK

1134€

**AVK 360P** 

1234 €

#### XTHK-2P (18.093.002)

Two doors upright freezer cabinet GN 2/1,forced refrigeration. Complete stainless steel inside/outside.Digital controls. Door gaskets are removable. Evaporator in the backside. Easy cleaning. Auto defrost.

Freezer model: XTHK-2P (18.093.002)

 Temperature:
 -15°C / -25°C

 Dimensions:
 1624x735x2140mm.

 Capacity:
 1415 litter

 Motor:
 1300w - 3/4Hp

XTHK-2P

3023€

WHEELS ARE OPTIONAL



www.electrolux.com.mk www.elektroluks.com.mk +389 47 203 900

+389 2 329 8 130 made in macedonia

126